
Nevada Department of Wildlife

Lake Mead C.R.A.B. January 12-13, 2011 Laughlin, NV




Creel Census

Catch rates down in 2010
 Average 0.8 fish per angler hour



Year


Creel harvest Species percentage



Threadfin shad

- Peak production in Las Vegas Bay at 163 shad /100 m³
- Poor production Overton this year at 14 shad / 100 m³
 - Unable to distinguish threadfin from gizzard shad at this size


Shad production by year



Fall gill nets


- Multi-agency effort
 NDOW, AZGFD, BOR, NPS
- 78 nets, 136 net nights of effort

 A record 2,656 fish at 19.5 fish per net night Gill net CPUE




u

Gill net CPUE




Species Composition



%Composition

Electroshocking CPUE, 2006-2010




Black bass fishery monitoring

Collect catch data from fishing tournaments
 33 LMB tournaments held on Lake Mead in 2010 (23 last year).

Summertime snorkel surveys

Black Bass fishery monitoring

SMB average percent



2004 2005 2006 2007 2008 2009 2010


Largemouth bass

- Average 16 inches, 2.1 lb.
- (2009 15.3 inches, 1.8 pounds)
- Smallmouth bass
 - Average 15.2 inches, 1.7 lb.
 - (2009 14.8 inches, 1.6 pounds)

Snorkel surveys


•2010 – fewer largemouth and smallmouth observed •5-foot drop in lake elevation May-June

Bass observed/30 minute dive




Striped bass tournaments

- 2010
 - Average 18.5 inches TL,
 2.4 lbs.
 - Average K (fl) 1.13



- 2009
 - Average 19.5 inches TL,2.4 lbs.
 - Average K (fl) 1.08

Striped bass length frequency, 2007-2010



Trout stocking

- 57,268 trout stocked in 2010
- Hemenway, Boulder Harbor, and Crawdad Cove

Trout made up 11% of the annual harvest
Angler preference for trout was 10% (creel survey data)

Summary

- Angler catch rates have declined
- Increase in smallmouth bass abundance
- Poor year for black bass dive counts
- Striped bass condition improved
- Slow growth rates for young stripers
- Few stripers seen in electrofishing sample
- Increase in green sunfish & bluegill